

Summary of Study Report in Pictures:



Name of PIA		PATBHANDARE VIBHAG WASHIM					Department		Block	WASHIM
S. n.	Date of Visit	Village	Name of Work	Gut No.	Estimated Cost	Actual Cost	Overall quality	Observations	Recommendation	Photo of observe work/structure
1	09/11/2017	ADHOLI	BUND & CANALS REPAIRING	-	22.8	19.14	GOOD	CANAL REPAIRS FOR IRRIGATION FACILITIES	NA	
2	09/11/2017	SAWARGAON ZIRE	CANAL REPAIRING	-	23.87	6.68	GOOD	CANAL REPAIRS FOR IRRIGATION FACILITIES	NA	
3	09/11/2017	EKBURZI	TANK DISTILLATION	-	0.23	0.23	GOOD	NA	NA	
4	09/11/2017	EKBURZI	TANK DISTILLATION	-	-	-	GOOD	WORK COMPLETED BY LOCAL CONTRIBUTION	NA	
5	09/11/2017	SAWARGAON ZIRE	TANK DISTILLATION	-	-	-	GOOD	WORK COMPLETED BY LOCAL CONTRIBUTION	NA	
6	09/11/2017	KADAMBA MAHALI	TANK DISTILLATION	-	0.6	0.6	GOOD	NA	NA	
7	09/11/2017	KADAMBA MAHALI	TANK DISTILLATION	-	0.6	0.6	SATISFACTORY	INCREASES WATER LEVEL	NA	
8	09/11/2017	KHANDALA	TANK DISTILLATION	-	0.89	0.89	GOOD	NA	NA	
9	09/11/2017	KHANDALA	TANK DISTILLATION	-	0.9	0.9	GOOD	WATER IS USED FOR IRRIGATION	NA	
					49.89	29.04				

Summary of Study Report in Pictures:

Name of PIA		FOREST					Department	FOREST	Block	WASHIM
S. n.	Date of Visit	Village	Name of Work	Gut No.	Estimated Cost	Actual Cost	Overall quality	Observations	Recommendation	Photo of observe work/structure
1	03/11/2017	MALEGAON	CCT	31	7.78	7.7	SATISFACTORY	DRESSING IS NOT PROPER	NA	
2	03/11/2017	MALEGAON	CCT	31	7.78	7.7	SATISFACTORY	NA	MAKE PROVISION FOR DISPLAY BOARD	
3	03/11/2017	MALEGAON	CCT	31	7.78	3.59	GOOD	NA	NA	
4	03/11/2017	MALEGAON	CCT	31	7.78	2.78	SATISFACTORY	NA	PITCH THE STONE	
5	03/11/2017	WAI	CCT	C107	7.78	7.7	GOOD	NA	NA	
6	03/11/2017	WAI	CCT	C107	7.78	7.7	GOOD	NA	NA	
7	03/11/2017	WAI	CCT	C107	7.78	7.7	GOOD	INCREASES WATER LEVEL	NA	
8	03/11/2017	WAI	CCT	C107	7.78	7.7	GOOD	NA	PITCH THE STONE	
9	03/11/2017	ILAKHI	CCT	155	7.78	7.7	GOOD	NA	NA	

10	03/11/2017	ILAKHI	CCT	155	5.187	5.185	SATISFACTORY	WORK IS PROPER	REMOVE SILT EVERY YEAR	
11	03/11/2017	KATA	CCT	87	7.78	5.38	GOOD	NA	NA	
					82.987	70.835				


Summary of Study Report in Pictures:

Name of PIA		MINAR IRRIGATION [JALSANDHARAN]					Department	JALSANDHARAN	Block	WASHIM
S. n.	Date of Visit	Village	Name of Work	Gut No.	Estimated Cost	Actual Cost	Overall quality	Observations	Recommendation	Photo of observe work/structure
1	04/11/2017	WADADI	GABIAN	-	2.94	2.64	SATISFACTORY	PITCHING NOT OBSERVED	NA	
2	04/11/2017	DODAKI	GABIAN	-	2.94	2.59	GOOD	NA	NA	
3	04/11/2017	WADAKI	GREZING	-	2.89	2.8	SATISFACTORY	NA	NA	
4	04/11/2017	SURKUNDI	NALA DEEPENING	-	2.8	2.7	GOOD	INCREASES GROUND WATER LEVEL	SITE SELECTION SHOULD BE PROPER.	
5	04/11/2017	SUPKHELA	NALA DEEPENING	117	2.8	2.7	GOOD	DRESSING IS NOT PROPER	NA	
6	04/11/2017	GIWHA	NALA DEEPENING	-	2.8	2.76	GOOD	FORMERS USE WATER FOR IRRIGATION	HANDOVER STRUCTURE TO USER GROUP	
7	04/11/2017	KOKALGAON	NALA DEEPENING	-	2.97	2.83	SATISFACTORY	DRESSING IS NOT PROPER	NA	
8	04/11/2017	ADGAON	NALA DEEPENING	-	2.72	2.72	SATISFACTORY	NA	NA	
9	04/11/2017	KADAMBA MAHALI	GATE WORK	89	2	1.45	SATISFACTORY	GATE IS NOT AVAILABLE	NA	

10	04/11/2017	BRAMHANWADA	GATE WORK	-	2.43	1.55	SATISFACTORY	NA	NA	
11	04/11/2017	ADOLI	CNB NALA DEEPENING 1	326	8.04	5.3	SATISFACTORY	DISPLAYBOARD EXIST	MAKE PROVISION FOR DISPLAY BOARD	
12	04/11/2017	ADOLI	CNB NALA DEEPENING 2	326	8.04	5.3	GOOD	DISPLAYBOARD EXIST	NA	
13	04/11/2017	ADOLI	CNB NALA DEEPENING 3	326	8.04	5.3	SATISFACTORY	DRESSING IS NOT PROPER	NA	
14	04/11/2017	SAWARGAON ZIRE	CNB 1	-	7.65	4.93	SATISFACTORY	NA	INA FUTURE LICAGE PROBLEM CREATE	
15	04/11/2017	SAWARGAON ZIRE	CNB 2	-	7.65	4.93	GOOD	SITE SELECTION IS RIGHT	NA	
16	04/11/2017	KAKDDATI	CNB 1	-	7.95	2.08	GOOD	NA	NA	
17	04/11/2017	KAKDDATI	CNB 2	-	7.95	2.07	SATISFACTORY	NO DISPLAY BOARD	MAKE PROVISION FOR DISPLAY BOARD	
18	04/11/2017	ADGAON	CNB1	-	10.98	5.28	SATISFACTORY	NA	INA FUTURE LICAGE PROBLEM CREATE	
19	04/11/2017	ADGAON	CNB 2	-	9.66	5.28	GOOD	SITE SELECTION IS RIGHT	NA	

20	04/11/2017	ADGAON	CNB 3	-	9.68	5.28	GOOD	NA	NA	
21	04/11/2017	KONDALA ZAMARE	CNB1	-	12.52	4.5	SATISFACTORY	NO DISPLAY BOARD	MAKE PROVISION FOR DISPLAY BOARD	
22	04/11/2017	KONDALA ZAMARE	CNB 2		12.36	4.5	GOOD	NA	NA	
23	04/11/2017	KONDALA ZAMARE	CNB 3		10.23	4.5	SATISFACTORY	DRESSING IS NOT PROPER	NA	
					148.04	83.99				

Summary of Study Report in Pictures:



Name of PIA		LS ZP					Department	LSZP	Block	WASHIM
S. n.	Date of Visit	Village	Name of Work	Gut No.	Estimated Cost	Actual Cost	Overall quality	Observations	Recommendation	Photo of observe work/structure
1	08/11/2017	BORI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.88	SATISFACTORY	BIRM IS NOT FOUND	NA	
2	08/11/2017	BORI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.88	GOOD	INCREASE GROUND WATER LEVEL	NA	
3	08/11/2017	BORI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.88	GOOD	NA	NA	
4	08/11/2017	BORI	VILLAGE TANK REPAIR	NA	9.33	8.97	SATISFACTORY	TREATMENT MAP IS NOT COMPLETED	NA	
5	08/11/2017	KATA	PERCULATION TANK	NA	9.06	8.3	GOOD	NA	NA	
6	08/11/2017	ANJANKHED	VILLAGE TANK REPAIR	NA	3.69	3.34	GOOD	WELL RECHARGE	NA	
7	08/11/2017	ANJANKHED	VILLAGE TANK REPAIR	NA	7.66	6.92	GOOD	NA	NA	
8	08/11/2017	JAMHRUN PARANDE	VILLAGE TANK REPAIR	NA	3.09	2.88	GOOD	FORMERS LIFT WATER FOR IRRIGATION	NA	
9	08/11/2017	JAMHRUN PARANDE	NALA KHOLIKARAN	NA	3.08	2.95	GOOD	NA	NA	

10	08/11/2017	JAMBHRUN PARANDE	NALA KHOLIKARAN	NA	3.08	2.95	GOOD	NA	NA	
11	08/11/2017	JAMBHRUN PARANDE	NALA KHOLIKARAN	NA	3.08	2.95	GOOD	NA	NA	
12	08/11/2017	JAMBHRUN PARANDE	NALA KHOLIKARAN	NA	3.08	2.95	SATISFACTORY	DRESSING IS NOT PROPER	DISPLAY BOARD REQUIRED	
13	08/11/2017	TAMASI	PERCULATION TANK	NA	4.89	3.7	SATISFACTORY	DRESSING IS NOT PROPER	NA	
14	08/11/2017	KONDALA M.	PERCULATION TANK	NA	2.95	2.3	GOOD	NA	NA	
15	08/11/2017	ADOLI	PERCULATION TANK	NA	6.32	5.75	GOOD	WORK COMPLETED PROPERLY	NA	
16	08/11/2017	ADOLI	NALA KHOLIKARAN	NA	4.99	4.57	SATISFACTORY	BIRM IS NOT FOUND	NA	
17	08/11/2017	ADOLI	NALA KHODTALE	NA	13.99	12.17	GOOD	NA	NA	
18	08/11/2017	SAWARGAON	IRRIGATION TANK REPAIR	NA	10.14	6.37	SATISFACTORY	DRESSING IS NOT PROPER	NA	
19	08/11/2017	SAWARGAON ZIRE	NALA KHOLIKARAN V RUNDIKARAN	NA	6.07	8.74	GOOD	INCREASE WATER LEVEL	NA	
20	08/11/2017	SAWARGAON ZIRE	NALA KHOLIKARAN V RUNDIKARAN	NA	11.26	9.93	GOOD	NA	NA	

21	08/11/2017	DHANORA BU.	NALA KHOLIK RAN V RUNDIK RAN	NA	3.16	2.07	GOOD	NA	NA	
22	08/11/2017	ROHILA	NALA KHOLIK RAN V RUNDIK RAN	NA	29.07	11.84	GOOD	NA	NA	
23	08/11/2017	ROHILA	NALA KHOLIK RAN V RUNDIK RAN	NA	18.12	9.3	GOOD	NA	NA	
24	08/11/2017	TANDALI BU.	NALA KHOLIK RAN V RUNDIK RAN	NA	6.1	4.88	GOOD	NA	NA	
25	08/11/2017	TANDALI BU.	NALA KHOLIK RAN V RUNDIK RAN	NA	7.06	6.05	GOOD	DRESSING PROPERLY	NA	
26	08/11/2017	TANDALI BU.	NALA KHOLIK RAN V RUNDIK RAN	NA	2.78	2.59	GOOD	NA	NA	
27	08/11/2017	TANDALI BU.	NALA KHOLIK RAN V RUNDIK RAN	NA	3.26	2.57	GOOD	NA	NA	
28	08/11/2017	SAPADI	NALA KHOLIK RAN V RUNDIK RAN	NA	13.18	12.26	SATISFACTORY	BIRM IS NOT FOUND	NA	
29	08/11/2017	KADAMBAMAHAL -	NALA KHOLIK RAN V RUNDIK RAN	NA	11	9.35	GOOD	NA	NA	
30	08/11/2017	NAGTHANA	CNB	NA	11.19	8.28	GOOD	NA	NA	
31	09/11/2017	NAGTHANA	CNB	NA	10.75	8.28	GOOD	NA	NA	

32	09/11/2017	NAGTHANA	CNB	NA	10.84	8.29	GOOD	NA	NA	
33	09/11/2017	NAGTHANA	NALA KHOLIKARAN V RUNDIKARAN	NA	8.01	7.49	GOOD	NA	NA	
34	09/11/2017	NAGTHANA	NALA KHOLIKARAN V RUNDIKARAN	NA	8.81	8.32	SATISFACTORY	DRESSING NOT PROPERLY	NA	
35	09/11/2017	NAGTHANA	NALA KHOLIKARAN V RUNDIKARAN	NA	9.3	3.47	GOOD	NA	NA	
36	09/11/2017	ZODAGA	CNB	NA	11.51	0	CANCEL	CANCEL	CANCEL	
37	09/11/2017	ZODAGA	CNB	NA	11.15	0	CANCEL	CANCEL	CANCEL	
38	09/11/2017	ZODAGA	CNB	NA	11.32	0	CANCEL	CANCEL	CANCEL	
39	09/11/2017	UMRADA	CNB	NA	10.93	5.8	GOOD	DRESSING PROPERLY	NA	
40	09/11/2017	UMRADA	CNB	NA	11.53	5.8	SATISFACTORY	IN A FUTURE CREATE LICAGE PROBLEM		
41	09/11/2017	UMRADA	CNB	NA	10.58	5.8	GOOD	NA	NA	
42	09/11/2017	UMRADA	PERCULATION TANK	NA	0.99	1.07	GOOD	INCREASE WATER LEVEL	HANDOVER STRUCTURE TO USER GROUP	

43	09/11/2017	UMRADA	PERCULATION TANK	NA	12.15	6.22	SATISFACTORY	DRESSING NOT PROPERLY	NA	
44	09/11/2017	UMRADA	CNB NALA KHOLIKARAN	NA	5.17	0	GOOD	DRESSING PROPERLY	REQUIRED FOR MAINTANANCE	
45	09/11/2017	UMRADA	NALA KHOLIKARAN V RUNDIKARAN	NA	11.84	4.46	GOOD	NA	NA	
46	09/11/2017	ANSING	CNB	NA	10.71	0	GOOD	NA	NA	
47	09/11/2017	ANSING	CNB	NA	10.81	5.3	GOOD	FORMERS LIFT WATER FOR IRRIGATION	NA	
48	09/11/2017	ANSING	CNB	NA	10.15	5.3	GOOD	NA	NA	
49	09/11/2017	ANSING	VILLAGE TANK REPAIR	NA	8.49	5.77	GOOD	NA	NA	
50	09/11/2017	ANSING	VILLAGE TANK REPAIR	NA	8.28	4.25	GOOD	NA	NA	
51	09/11/2017	ANSING	VILLAGE TANK REPAIR	NA	8.28	4.48	GOOD	NA	NA	
52	09/11/2017	ANSING	NALA KHOLIKARAN V RUNDIKARAN	NA	13.26	11.89	GOOD	NA	NA	
53	09/11/2017	ANSING	NALA KHOLIKARAN V RUNDIKARAN	NA	12.29	11.68	GOOD	FORMERS LIFT WATER FOR IRRIGATION	NA	

54	09/11/2017	KOKALGAON	CNB	NA	11.73	9.2	GOOD	NA	NA	
55	09/11/2017	KOKALGAON	CNB	NA	11.17	9.2	GOOD	NA	NA	
56	09/11/2017	KOKALGAON	CNB	NA	10.68	9.2	GOOD	NA	NA	
57	09/11/2017	KOKALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.47	SATISFACTORY	DRESSING NOT PROPERLY	NA	
58	09/11/2017	KOKALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	1.64	GOOD	NA	NA	
59	09/11/2017	KOKALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.41	GOOD	FORMERS LIFT WATER FOR IRRIGATION	NA	
60	09/11/2017	KOKALGAON	VILLAGE TANK REPAIR	NA	2.6	2.16	GOOD	NA	NA	
61	10/11/2017	KOKALGAON	VILLAGE TANK REPAIR	NA	4.31	3.47	GOOD	NA	NA	
62	10/11/2017	KOKALGAON	VILLAGE TANK REPAIR	NA	1.2	1.12	GOOD	NA	NA	
63	10/11/2017	KOKALGAON	VILLAGE TANK REPAIR	NA	3	2.34	GOOD	NA	NA	
64	10/11/2017	KOKALGAON	VILLAGE TANK REPAIR	NA	4.95	4.26	GOOD	NA	NA	

65	10/11/2017	KOKALGAON	KHODTA LE	NA	13.92	0	SATISFACTO RY	NA	NA	
66	10/11/2017	SAKHARA	PERCULA TION TANK	NA	0.78	0	GOOD	PUBLIC SUPPORT	NA	
67	10/11/2017	SAKHARA	VILLAGE TANK REPAIR	NA	0.99	1.03	GOOD	NA	NA	
68	10/11/2017	SAKHARA	PERCULA TION TANK	NA	0.99	1.06	GOOD	NA	NA	
69	10/11/2017	SAKHARA	CNB	NA	14.51	13.97	GOOD	NA	NA	
70	10/11/2017	SAKHARA	CNB	NA	10.42	8.56	GOOD	NA	NA	
71	10/11/2017	SAKHARA	CNB NALA KHOLIKA RAN	NA	4.94	4.41	GOOD	FORMERS USE WATER FOR IRRIGATION	NA	
72	10/11/2017	SAKHARA	CNB NALA KHOLIKA RAN	NA	4.95	3.56	GOOD	NA	NA	
73	10/11/2017	TANDALI SEVAI	PERCULA TION TANK	NA	0.78	0	GOOD	PUBLIC SUPPORT	NA	
74	10/11/2017	TANDALI SEVAI	VILLAGE TANK REPAIR	NA	0.99	1.07	GOOD	NA	NA	
75	10/11/2017	TANDALI SEVAI	PERCULA TION TANK	NA	0.99	1.07	GOOD	NA	NA	

76	10/11/2017	PANDAV UMARA	PERCULATION TANK	NA	0.78	0	GOOD	PUBLIC SUPPORT	NA	
77	10/11/2017	PANDAV UMARA	IRRIGATION TANK REPAIR	NA	0.97	1.06	GOOD	NA	NA	
78	10/11/2017	PANDAV UMARA	IRRIGATION TANK REPAIR	NA	7.67	4.6	GOOD	NA	NA	
79	10/11/2017	PANDAV UMARA	VILLAGE TANK REPAIR	NA	0.95	1.07	GOOD	NA	NA	
80	10/11/2017	PANDAV UMARA	VILLAGE TANK REPAIR	NA	0.99	1.06	GOOD	NA	NA	
81	10/11/2017	PANDAV UMARA	PERCULATION TANK	NA	0.99	1.07	GOOD	NA	NA	
82	10/11/2017	PANCHALA	VILLAGE TANK REPAIR	NA	0.98	1.07	GOOD	NA	NA	
83	10/11/2017	SUPKHELA	VILLAGE TANK REPAIR	NA	0.99	1.03	GOOD	NA	NA	
84	10/11/2017	SUPKHELA	PERCULATION TANK	NA	0.99	1.06	GOOD	NA	NA	
85	10/11/2017	SUPKHELA	NALAKHOLIKARAN V RUNDIKARAN	NA	3.06	1	GOOD	NA	NA	
86	10/11/2017	SUPKHELA	NALAKHOLIKARAN V RUNDIKARAN	NA	3.06	1	GOOD	NA	NA	

87	10/11/2017	SUPKHELA	NALA KHOLIKAR V RUNDIKAR RAN	NA	3.06	1	GOOD	NA	NA	
88	10/11/2017	JAIPUR	VILLAGE TANK REPAIR	NA	0.97	1.07	GOOD	NA	NA	
89	10/11/2017	JAIPUR	VILLAGE TANK REPAIR	NA	10.68	10.11	GOOD	FORMERS USE WATER FOR IRRIGATION	NA	
90	10/11/2017	SHELU BU.	PERCULA TION TANK	NA	0.99	1.07	GOOD	NA	NA	
91	10/11/2017	SHELU BU.	PERCULA TION TANK	NA	12.15	4.41	GOOD	FORMERS USE WATER FOR IRRIGATION	NA	
92	10/11/2017	SHELU BU.	NALA KHOLIKAR V RUNDIKAR RAN	NA	9.3	8.93	GOOD	NA	NA	
93	10/11/2017	UKADI PEN	VILLAGE TANK REPAIR	NA	1.21	0.94	GOOD	FORMERS USE WATER FOR IRRIGATION	NA	
94	10/11/2017	UKADI PEN	KPB REPAIR	NA	15.08	14	GOOD	NA	NA	
95	10/11/2017	KONDALA ZAMARE	VILLAGE TANK REPAIR	NA	1.24	0.81	GOOD	NA	NA	
96	10/11/2017	PIMPALGAON	CNB	NA	11.43	8.24	GOOD	NA	NA	
97	10/11/2017	PIMPALGAON	CNB	NA	11.22	8.24	GOOD	NA	NA	

98	10/11/2017	PIMPALGAON	CNB	NA	11.2	8.24	GOOD	NA	NA	
99	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	9.6	9.17	GOOD	NA	NA	
100	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	9.3	8.81	GOOD	FORMERS USE WATER FOR IRRIGATION	NA	
101	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	10	9.63	SATISFACTORY	NA	NA	
102	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	3.08	2.85	GOOD	NA	NA	
103	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	3.08	2.85	GOOD	NO DISPLAY BOARD	MAKE PROVISION FOR DISPLAY BOARD	
104	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	3.08	2.85	GOOD	FORMERS USE WATER FOR IRRIGATION	MAKE PROVISION FOR DISPLAY BOARD	
105	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	13.18	12.55	SATISFACTORY	NA	NA	
106	10/11/2017	PIMPALGAON	NALA KHOLIKARAN V RUNDIKARAN	NA	13.15	12.01	SATISFACTORY	NA	NA	
107	10/11/2017	PIMPALGAON	VILLAGE TANK REPAIR	NA	1.21	0.4	GOOD	NA	NA	
108	10/11/2017	WADAKI JAHA	NALA KHOLIKARAN V RUNDIKARAN	NA	5.61	4.84	SATISFACTORY	DRESSING IS NOT PROPER	MAKE PROVISION FOR DISPLAY BOARD	

109	10/11/2017	BORKHEDI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.5	GOOD	NA	NA	
110	10/11/2017	BORKHEDI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.57	GOOD	FORMERS USE WATER FOR IRRIGATION	HANDOVER STRUCTURE TO USER GROUP	
111	10/11/2017	BORKHEDI	NALA KHOLIKARAN V RUNDIKARAN	NA	2.99	2.35	SATISFACTORY	NA	PLEASE GIVE BURM SIDE	
112	10/11/2017	BORKHEDI	KHODTALE	NA	24.88	22.52	SATISFACTORY	DRESSING IS NOT PROPER	NA	
113	10/11/2017	BORKHEDI	KHODTALE	NA	5.58	4.56	GOOD	FORMERS USE WATER FOR IRRIGATION	MAKE PROVISION FOR DISPLY BOARD	
114	10/11/2017	BORKHEDI	CNB REPAIR	NA	1.81	1.63	SATISFACTORY	NA	NA	
115	10/11/2017	GONHI	CNB	NA	9.5	7.18	GOOD	NA	NA	
116	10/11/2017	GONHI	CNB	NA	10.97	7.18	GOOD	DRESSING IS NOT PROPER	NA	
117	10/11/2017	GONHI	CNB	NA	10.2	7.18	SATISFACTORY	NA	IN FUTURE LICAGE PROBLEM CREATE	
118	10/11/2017	GONHI	NALA KHOLIKARAN V RUNDIKARAN	NA	3.06	1.4	GOOD	INCREASE GROUND WATER LEVEL	MAKE PROVISION FOR DISPLY BOARD	
119	10/11/2017	GONHI	NALA KHOLIKARAN V RUNDIKARAN	NA	3.06	1.4	GOOD	NA	NA	

120	10/11/2017	GONHI	NALA KHOLIKARAN V RUNDIKARAN	NA	3.06	1.4	GOOD	NA	NA	
121	10/11/2017	BITOLA	NALA KHOLIKARAN V RUNDIKARAN	NA	2.97	2.54	SATISFACTORY	STRUCTURE NOT HAND OVER	HANDOVER STRUCTURE TO USER GROUP	
122	10/11/2017	BITOLA	NALA KHOLIKARAN V RUNDIKARAN	NA	2.97	2.54	SATISFACTORY	NA	NA	
123	10/11/2017	BITOLA	NALA KHOLIKARAN V RUNDIKARAN	NA	2.97	2.54	SATISFACTORY	DRESSING IS NOT PROPER	MAKE PROVISION FOR DISPLY BOARD	
					830.92	586				

Summary of Study Report in Pictures:

Name of PIA		GRAMIN PANI PURAWATHA					Department		Block	WASHIM
S. n.	Date of Visit	Village	Name of Work	Gut No.	Estimated Cost	Actual Cost	Overall quality	Observations	Recommendation	Photo of observe work/structure
1	04/11/2017	WARA ZAHAGIR	NALA DEEPENING	523	4.55	4.55	SATISFACTORY	DRESSING IS NOT PROPER	MAKE PROVISION FOR DISPLAY BOARD	
2	04/11/2017	WARA ZAHAGIR	GABIAN	523	0.26	0.25	GOOD	SITE SELECTION IS RIGHT	NA	
3	#####	WARA ZAHAGIR	PLASTIC BUND	523	0.43	0	SATISFACTORY	NA	NA	UNDER GROUND BUND
4	04/11/2017	SAWANGA JAHAGIR	NALA DEEPENING	170	5.97	5.81	GOOD	NO DISPLAY BOARD	MAKE PROVISION FOR DISPLAY BOARD	
5	04/11/2017	SAWANGA JAHAGIR	PLASTIC BUND	170	0.49	0.35	SATISFACTORY	NA	NA	UNDER GROUND BUND
6	04/11/2017	SAWANGA JAHAGIR	GABIAN	170	0.31	0	SATISFACTORY	NA	NA	
7	04/11/2017	KARLI	NALA DEEPENING	360	5.64	5.49	GOOD	INCREASE GROUND WATER LEVEL	MAKE PROVISION FOR DISPLAY BOARD	
8	04/11/2017	KARLI	GABIAN	360	0.28	0.26	SATISFACTORY	NA	NA	
9	04/11/2017	KARLI	PLASTIC BUND	360	0.47	0.15	SATISFACTORY	NA	NA	UNDER GROUND BUND
10	04/11/2017	ZAMBHARUN NAWAJI	NALA DEEPENING	48	5.64	5.47	GOOD	FORMERS USE WATER FOR IRRIGATION	HANDOVER STRUCTURE TO USER GROUP	

11	04/11/2017	ZAMBHARUN NAVAJI	GABIAN	48	0.31	0.25	GOOD	NA	NA	
12	04/11/2017	ZAMBHARUN NAVAJI	PLASTIC BUND	48	0.49	0.11	GOOD	NA	NA	UNDER GROUND BUND
13	04/11/2017	KHARODA	NALA DEEPENI NG	225	11.09	10.64	GOOD	INCREASE GROUND WATER LEVEL, FORMERS LIFT WATER FOR IRRIGATION	NA	
14	04/11/2017	KHARODA	GABIAN	225	0.26	0.27	SATISFACTO RY	NA	NA	
15	04/11/2017	KHARODA	PLASTIC BUND	225	0.44	0.31	SATISFACTO RY	NA	NA	UNDER GROUND BUND
					36.63	33.91				